
DIVISION OF O	IL, GAS AND MIN	FEB	19 1991	5. Penser Designation and	l Serial No.
APPLICATION FOR PERMIT TO	D DRILL, DEEPER	V, OR PLOGIS	BLACK	6. If Indian, Allottee or	
la. Type of Work	· · · · · · · · · · · · · · · · · · ·	UIL, GAS	o granital so c	G. Unit Agreement Name	
DRILL 📑	DEEPEN [	PLUG BA	ACK []	_	
b. Type of Well Oil XX Gas Well Other Other		Single Mu Zone Zon	altiple 🔲	8. Farm or Lease Name	
2. Name of Operator				Goodrid	
San Juan Minerals Ex	ploration Co	•		• •	on that 410
10970 WIIIIams	Ave Blythe,	10 X 10 2 2 2 2 2 3 4			H.JT
4. Location of Well (Report location clearly and in a At surface				91-7	or Bik.
	TIATT			and Survey or Area	
At proposed prod. conf NL and 161' F	W L	50 NW		Sec 8 T 425	
14. Distance in miles and direction from nearest town	or post office"				13. State UT
5 miles	16 No.	of acres in lease	17. No. o	San Juan	01
15. Distance from proposed location to nearest property or lease line, ft. 161 (Also to nearest drig. line, if any)	285		to thi	2 ½	
13. Distance from proposed location*		posed depth	20. Rotar	y or cable tools	······································
to nearest well, drilling, completed, or applied for, on this lease, ft. 250	45	0'	r	otary	
21. Elevations (Show whether DF, RT, GR, etc.)				22. Approx. date work ASAP	will sture
4164 ground	ROPOSED CASING AND	CEMENTING PROGRA	A M	ASAI	
	Weight per Foot	Setting Depth		Quantity of Cement	
Size of Hole Size of Casing 9 7/8" 8 5/8"	24 pd	30'		7 sacks	
7 1/4" 5 1/2".	17 pd	425'		25 sacks	
Propose to drill and Estimated depth of a  Pressure equipment or no gas.  Circulating medium-	anticipated w - none. Zone	e is shall <sup>cV</sup>	./	rries very	
					ICAL REVIEW
No abnormal pressure	es or tempera	atures - no	hydro	gen sultime.	13/12-7-9
Jack Williams - 619	922 2222.			Geo <b>l:≪</b> Surface	PA 3/19/
IN ABOVE SPACE DESCRIBE PROPOSED PROGR ductive zone. If proposal is to drill or deepen direct preventer program, if any.	AM: If proposal is to dee ionally, give pertinent data	pen or plug back, give , on subsurface location	data on pres na and measu	sent productive zone and	proposed new pro-
24. I hereby certify that this report is true and	complete to the best of		retary	7 2- Date	15-91
(This space for Federa or State office use)					
43 037/·/3161		Approval Date	APIT Cal	n let S	STATE ON OF
Approved by Conditions of approval, if any:	Title		C: DATE	3-12	MINING
	*See Instructions	On Payarra Sida		IN att	Keus
(3/89)	See mandenous	OH WEARISE SING	W.H.L	SPACING: 18	6-3

Company	San Juan Mine	rals and Explora	ation Company	)-1
Well Name & No	91 - 7			
Location	2039' F/NL	161' F/WL		·
Sec8 , T42 S., R	. <u>19</u> Ε., S. L. Λ	A., County	San Juan	, Utal
Ground Elevation4	164			



Scale, 1 inch = 1,000 feet

Fabruary

, 19 <sup>91</sup>

Luvayad

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:



Edgar L. Risenhoover Registered Land Surveyor New Mexico Reg. No. 5979

Non-resident certification as authorized by Utah State Law 58-22-21(b)

### DRILLING LOCATION ASSESSMENT

### State of Utah Division of Oil, Gas and Mining

WELL NAME: GOODRIDGE 91-7 OPERATOR: SAN JUAN MINERALS TWP: 42S RNG: 19E LOC: 2039 FNL 161 FWL SECTION: 8 QTR/QTR SW/NW COUNTY: SAN JUAN FIELD: MEXICAN HAT

SURFACE OWNER: GOODRICH ESTATE

SPACING: UNRESTRICTED

INSPECTOR: GLENN GOODWIN DATE AND TIME: 2/25/91 9:25

PARTICIPANTS: George Petty-San Juan Minerals

REGIONAL SETTING/TOPOGRAPHY: Mexican Hat townsite. Gravel pit with deep wash to the southwest.

### LAND USE:

CURRENT SURFACE USE: Gravel pit.

PROPOSED SURFACE DISTURBANCE: A 100'X 100' pad will be constructed.

AFFECTED FLOODPLAINS AND/OR WETLANDS: None

FLORA/FAUNA:

### ENVIRONMENTAL PARAMETERS

### SURFACE GEOLOGY

SOIL TYPE AND CHARACTERISTICS: Clayey sand and gravels.

SURFACE FORMATION & CHARACTERISTICS: Quaternary alluvium on Halgaito Shale.

EROSION/SEDIMENTATION/STABILITY: No active sedimentation or erosion at present.

PALEONTOLOGICAL POTENTIAL: None observed.

### SUBSURFACE GEOLOGY

OBJECTIVES/DEPTHS: Goodridge sand.

ABNORMAL PRESSURES-HIGH AND LOW: None anticipated.

CULTURAL RESOURCES/ARCHAEOLOGY: NA

CONSTRUCTION MATERIALS: Onsite materials.

SITE RECLAMATION: As per landowner instructions.

### RESERVE PIT

- . . .

CHARACTERISTICS: A 20'X 20'X 5' reserve pit will be

constructed.

LINING: None needed

MUD PROGRAM: Well is to be drilled with air and foam.

DRILLING WATER SUPPLY: Mexican Hat culinary water system.

STIPULATIONS FOR APD APPROVAL

A berm is to be placed on the southwest side of the location to

protect the wash from runoff.

**ATTACHMENTS** 

Photographs will be placed on file.

# BEFORE THE BOARD OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES IN AND FOR THE STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF SAN JUAN MINERALS EXPLORATION COMPANY FOR AN EXCEPTION TO THE WILD CAT WELL SPACING PATTERN ESTABLISHED BY RULE C-3, OF THE GENERAL RULES AND REGULATIONS, AND AMENDING PRIOR ORDERS OF THE BOARD IN CAUSE NO. 156-1 TO GRANT UNRESTRICTED SPACING IN CERTAIN PORTIONS OF THE MEXICAN HAT AREA, SAN JUAN COUNTY, STATE OF UTAH

ORDER

CAUSE NO. 156-3 /

Pursuant to Notice of Hearing dated February 22, 1980, as amended, of the Board of Oil, Gas and Mining, Department of Natural Resources of the State of Utah, this Cause came on for hearing before Cleon B. Feight, acting as hearing examiner for the full Board, commencing at the hour of 9:00 a.m. on April 15, 1980, in the offices of the Division of Oil, Gas and Mining, 1588 West North Temple, Salt Lake City, Utah.

Appearing for the applicant was Anthony L. Rampton of the law firm of Fabian & Clendenin, Salt Lake City, Utah, and Robert Lauth, Certified Registered Geologist. Appearing on behalf of the Division of Oil, Gas and Mining were Denise Dragoo, Special Assistant, Utah Attorney General's Office, and Mike Minder, Petroleum Engineer.

NOW, THEREFORE, having considered the testimony presented to the hearing examiner and the exhibits received at said hearing, and being fully advised in the premises, and all persons appearing before the hearing examiner being in favor of the application, the Board now makes and enters the following:

### FINDINGS OF FACT

1. Due and regular notice of the time, place and purpose of the hearing was given to all interested parties in the form and manner and within the time required by law and the rules and regulations of the Board.

- 2. The Board has jurisdiction over the matter covered by said Notice and over all parties interested therein and has jurisdiction to make and promulgate the Order hereinafter set forth.
- 3. The principal producing sand or zone in this area is the Goodridge Sand producing from shallow sand and low pressure.
- 4. That there has been no systematic development through the Mexican Hat Area.
- 1974, the Board established five-acre spacing for drilling wells and not less than two hundred feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarter section or equivalent lot or lots of comparable size and location and not less than 330 feet from any producible oil well, unless otherwise specifically permitted by order of the Board after notice and hearing.
- 6. That the oil wells producing on tracts in Sections
  31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township
  42 South, Range 19 East, Salt Lake Meridian, San Juan County, State
  of Utah, are all producing from the Goodridge producing sand.
- 7. That the Goodridge formation is confined to certain pockets of permeability and perocity requiring the drilling of holes in an irregular pattern in order to discover and drain all of the recoverable oil and associated hydrocarbons from said formation.
- 8. That in order to facilitate the location and commercial production of oil in this area, it is necessary to allow for an amendment to the Order in Cause No. 156-1 so as to permit the drilling of wells on unrestricted spacing in the aforestated sections.

### ORDER

### IT IS THEREFORE ORDERED:

A. That an exception is hereby granted to the provisions of Rule C-3, General Rules and Regulations, Division of Oil, Gas

and Mining, so as to permit the drilling of wells on unrestricted spacing to best accommodate the prevention of waste and protection of correlative rights in the development of the field and to maximize ultimate future recovery of oil and associated hydrocarbons insofar as and only insofar as the Goodridge Formation in Sections 31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township 42 South, Range 19 East, Salt Lake Meridian, San Juan County, State of Utah, and the Order of this Board in Cause No. 156-1 is hereby amended accordingly.

- B. It is further Ordered that no well in said Sections shall be drilled less than 50 feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarters section or equivalent lot or lots of comparable size unless otherwise specifically permitted by order of the Board after notice and hearing.
- C. That this Order is a temporary order and the Board, on its own motion or the motion of any interested party, may file an application requesting a hearing to present new evidence covering the matter set forth herein.
- D. That the Board retains continuing jurisdiction of all matters covered by this Order and particularly retains continuing jurisdiction to make further orders as appropriate and authorized by statute and applicable regulations.

ENTERED AND EFFECTIVE this 15 day of May, 1980.

BOARD OF OIL, GAS AND MINING OF THE STATE OF UTAH

Charles R. Henderson
John L. Bell
Thadeus W. Box
C. Ray Juvelin

E. Steele McIntyre

Constance K. Lundberg

Edward 1. Beck

OPERATOR Jan dian Minuals N. 0810. DATE 3-11-41
WELL NAME (Garding 917
SEC SWAW 8 T 405 R 19F COUNTY Jan Turan
43 037 31413 TYPE OF LEASE
CHECK OFF:
PLAT HOSE WELL FOLLOW
LEASE FIELD POTASH OR OIL SHALE
PROCESSING COMMENTS:  Cause shows inventioned spacing
Water Primit
Presite 3:191/ Westogy will
APPROVAL LETTER:
<del></del>
APPROVAL LETTER:  R615-2-3  R615-3-2
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT R615-3-2
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT  R515-3-2  156 3 4 15 80 R615-3-3  CAUSE NO. & DATE
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT  156 3 4 15 80 R615-3-3  CAUSE NO. & DATE  STIPULATIONS:
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT  156 3 1580 R615-3-3  STIPULATIONS:  120 CAUSE NO. & DATE  121 Cause on the Southwest  1. A Bern is to be placed on the Southwest
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT  156 3 4 15 80 R615-3-3  CAUSE NO. & DATE  STIPULATIONS:
APPROVAL LETTER:  SPACING: R615-2-3 NA UNIT  156 3 1580 R615-3-3  STIPULATIONS:  120 CAUSE NO. & DATE  121 Cause on the Southwest  1. A Bern is to be placed on the Southwest



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

Division Director

Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

March 12, 1991

San Juan Minerals Exploration Company 10970 Williams Ave. Blythe, California 92225-9414

### Gentlemen:

Re: Goodridge 91-7 Well, 2039 feet from the North line, 161 feet from the West line, SW NW, Section 8, Township 42 South, Range 19 East, San Juan County, Utah

Approval to drill the referenced well is hereby granted in accordance with the Order in Cause No. 156-3 dated April 15, 1980 subject to the following stipulations:

- 1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. Section 73-3, Appropriation.
- 2. San Juan Minerals Exploration Company, as designated operator, is the bonded principal in reference to this Application for Permit to Drill. Should this designation change or a transfer of ownership occur, liability will remain with the designated operator until the Division is notified by letter of a new bonded principal.
- 3. A berm is to be placed on the southwest side of the location to protect the wash from runoff.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.

Page 2 San Juan Minerals Exploration Company Goodridge 91-7 March 12, 1991

- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify R. J. Firth, Associate Director, (Office) (80I) 538-5340, (Home) 571-6068, or J. L. Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Utah Admin. R.6I5-3-20, Gas Flaring or Venting.
- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31613.

Sincerely,

Associate Director, Oil & Gas

tas

**Enclosures** 

cc: Bureau of Land Management

J. L. Thompson

we14/1-44

# DIVISION OF OIL, GAS AND MINING

### API NO. 43-037-31613

# SPUDDING INFORMATION

NAME OF COMPANY:	SAN JUAN	MINERALS	• .					
WELL NAME: GOODRIDGE 91-7								
SECTION SWNW 8 TOWNSH	IP <b>42S</b>	Range	19E	COUNTY_	SAN JUAN	_		
DRILLING CONTRACTOR	GEORGE PE	ETTY	·	•.		_		
RIG #	·	•	•		• •			
SPUDDED: DATE 5/3/91	<del></del> .	•	•	•				
TIME 9:00 a.	n							
HOWROTARY	<del>-,</del>	·						
DRILLING WILL COMMENCE_	5/3/91							
DRILLING WILL COMMENCE			•		<b>.</b> .			
REPORTED BY MRS. P	ETTY							
TELEPHONE #			<b>.</b> .					
DATE - 10102			SIGNED	TA C	(PDAD)			

VISION OF OIL, GAS AND MINING ITITY ACTION FORM - FORM 6

OPERATOR \_ San Juan Minerals Exproration Co. OPERATOR ACCT. NO. NOSIO ADDRESS \_\_10970 Williams Ave Rlythe, CA 92225 SPUD EFFECTIVE WELL NAME WELL LOCATION API NUMBER CURRENT NEW CTION COUNTY DATE DATE ENTITY NO. LENTITY NO. SC COOE 4-15-91 43 037 3160\$ 11206 San Juan 7 42S | 19E LL 1 COMMENTS: If possible we would appreciate the Entity No. 11206. This is an Entity No. assigned to well #91-2 and #91-10 will empty into the same production tank. 3-12-91 1120% 43 037 31614 Goodridge #91-4 7 425 19E San Juan LL COMMENTS: We request Entity No. 11206 for this well. Same explanation as above. San Juan 5-3-91 11206 43 037 31613 Goodridge#91-7 42s 19E LL 3 COMMENTS: We request Entity No. 11206 for this well. Same reason as above. (Enlity 11206 added for each well on 5-21-91) for LL 4 COMMENTS:

\_L 5 COMMENTS:

ITON CODES (See instructions on back of form) A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

E: Use COMMENT section to explain why each Action Code was selected.

MAY 1 6 1991


DIVISION OF OIL GAS & MINING Signature

Title

Phone No. 1619,922-5278

(88)

### REPORT OF WATER ENCOUNTERED DURING DRILLING - FORM 7 (1/89)



l. Well name and numb API number:	er:Goodridge #91-7	DIVISION OF OIL GAS & MINING
		S range 19E county San Juan
3. Well operator:	San Juan Minerals Expl	oration Co.
Blythe,	liams Ave CA 92225	phone 61 <u>9 922 2278</u>
4. Drilling contracto Address:	r: A-1 Drilling B0x 504 B1anding, UT 845	phone 801 678 2535
5. Water encountered	(continue on reverse side if necessa	ary)
Depth	Volume	Quality
from to		(fresh or salty) Salty
0 160	5 G PM	Salty
		,,
6. Formation tops: _	goodridge Top 40	00 ft
<del>-</del>		
If an analysis has be report to this form.	en made of the water encount	ered, please attach a copy of the
I certify that this r	eport is true and complete t	o the best of my kprowledge.
Name Sill Joj	onscin Signature	Hel Johnson
Title	Signature Date	

Comments:

# STATE OF UTA DEPARTMENT OF NATURAL RESOURCES

DEPA	RTMENT O ISION OF (	FNA SUG	IUHAL NE	MINING	i			5. LEASE D	ESIGNATIO	ON AND GERIAL NO.
								6. IF INDIA	N, ALLOT	TEE OR TRIBE NAME
WELL COMP	PLETION	OR	RECOM	PLETIC	N REI	PORT AN	D LOG*			
TYPE OF WELL:		ı kx	WELL	DRY				7. UNIT AG	REEMENT	HAME
TYPE OF COMPLE		L ALA	,					S. FARM O	R LEASE	NAME
NEW	ER DEE	P	PLEG	DIFF. RESVR	<u> </u>	ner		=		ridge
NAME OF OPERATOR					_			9. WELL N		
San	Juan Mi	ner	als Exp	lorat	cion (	Co		ì		. <u> </u>
ADDRESS OF OPERAT	พ. พ.ศ. 11 i อก	10 A.	ve R1	vthe	CA	92225		undes	igned	, or WILDCAT lated
10970	(Report locati	on clea	rly and in acc	ordance i	oith any S	tate requiremen	ita)*	11. SEC.,	r., r., M., (	N BLOCK AND SURVEY
	39 FNL							) OR AB	EA	Sec 8 42S R1
At top prod. Interv	al reported be	elow.								
At total depth							ISSUED	12. COUNT	T OR	13. STATE
				14. PER	MIT NO. 037 3		3-12-91	San J	n uan	UT
	16. DATE T.D.		DI NE DATE			I	EVATIONE (DF.	REB, RT. GR, ETC.	' I	ELEV. CABINGHEAD
DATE SPUDDED			ì	10-91			1164 gr		4:	CABLE TOOLS
-2-91   TOTAL DEPTH. MD 4	5-10-	UC. BAC	K T.D., ND A T	VD   22.	IF MULTI	PLE COMPL.,	23. INTER			
4001	1				ı/a			Dulli	2	5. WAS DIRECTIONAL SURVEY MADE
. PRODUCING INTERV	AL(S). OF THE	s comp	LETION-TOP,	BOTTOM.	NAME (MU	ZAN XVO)				no
400' Goo	dridge									WAS WELL CORED
3. TIPE ELECTRIC AN	D OTHER LOGS	BUN				·····			•	
none							· t · · · · · · · · · · · ·		l no	
8.			CASI		RD (Repo	rt all strings se	CEMI	NTING RECORD		AMOUNT PULLED
CASING SIZE	WEIGHT, L	B./#T.	300		7	7/8	50 sa	acks		n/a
5_5/8"	14#		300						<del> </del>	-
					1		30.	TUBING 1	RECORD	
6			TTOM (MD)	SACKS C	EMENT*	SCREEN (MD)	SIZE	DEPTH SE	r (MD)	PACKER SET (MD)
8122	TOP (MD)						2 3	<u>/8</u> <u>400</u>		- 330
none							ACID SHOT	FRACTURE, CE	MENT SQ	UEEZE, ETC.
31. FRAFORATION REC	ORD (Interval	, Att G	na number)			DEPTH INTER	IVAL (MD)	MA THUOKA	KIND OF	MATERIAL USED
	-1iaahl	_		•		not	applica	ble		
not ap	plicabl	C								
					PRO	DUCTION				
33.* DATE FIRST PRODUCT	100 F	RODUCT	ON METHOD	Flowing.	gas lift, p	umping—size at	ed type of pur	np)	shut-in	TUB (Producing or
							GAS-M		Pro	ducing
5-10-91	HOURS TES	TED	CHOKE SIZE	FROI	O'N, FOR PERIOD	OIL-BBL.		l no	ne	
			CALCULATED	1 -	-BSL.	3	IC≱.	WATER-BBL.	01	L GRAVITY-API (CORR.)
FLOW. TUBING PRESS.	CASING PRI	SSIRE	24-HOUR RA	LTR					WITHESSE	<u> 38</u>
	GAS (Sold, use	d for fu	1					Ge	orgel	etty
34. DISPOSITION OF						·				
34. DISPOSITION OF										
35. LIST OF ATTAC	HMENTS									<del></del>
35. LIST OF ATTAC	HMENTS	regoing	and attached	informat	ion is cou	plete and corre	ct as determi	ned from all avai	lable reco	5-13-91
	y that the fo	regains	- 1 1- 1		ion is con	~ -	et an determi		DATE .	

# INSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulations. Any special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures either are abown below or will be issued by, or may be obtained from the local federal and/or State efficiences on items 22 and 23 below regarding separate reports for separate completions. See instructions on items 22 and 23 below regarding separate reports for separate completions. See instructions on items 32 below of all carrently available loge (dilliers, geologists, sample and core analysis, all types electric, etc.), formation to the time this summary record is submitted, replies of all carrently available loge (dilliers, geologists, number and or summary record is submitted, replies of all carrently available by applicable Federal and/or State laws and regulations. All attachments though and pressure tests, and directional surveys, should be attached to the extent required by applicable Federal and/or State laws and regulations. General: This form is designed for submitting a complete and correct well corrected and the construction report and the construction and const

should be listed on this form, see item 35.

Her. 12: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Her. 12: Indicate which elevation is used as reference (where not otherwise theory) zone (multiple completion), so state in item 22, and in item 24 show the producing items 2. If this well is completed for suparate production from more than items 33. Submit a separate report (page) on this form, adequately identified, interval and interval to be separately produced, showing the additional data pertinent to such interval.

For each additional interval to be separately produced, showing for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Here 29: "Sacks Cement": Attached supplemental records for this well should show the details of soft matruction for items 22 and 24 above.)

7588	rof	DOTE TAUS VEST. DEFTE	d)	MAY 16 1991 DIVISION OF OIL CAS & MINING	
GEOLOGIC MARKERS		KBAB.	licable	TO SE SE	
38. GEO		HAAN	not applicable		
OF POROUS ZONES:	THE PROPERTY AND SECURITE PRESCRES, AND SECONSTRUCT	DESCRIPTION, CONTENTS, STC.	White limstone with very low porosity		
262700	ED, TIME TOOL O	FOTTO#	400		
8 ZONES:	NT COMES OF POROSTED US	101	e 350		
UOROG OF POROU	67. KUMMANI OF A STATE	POBMATION	Goodridge		



Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON Division Director MICHAEL O. LEAVITT Governor

OLENE S. WALKER Lieutenant Governor

February 20, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 4941

Clint Howell San Juan Minerals Exploration P.O. Box 310367 Mexican Hat, Utah 84531

Re: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases.

Dear Mr. Howell:

San Juan Minerals Exploration, as of February 2004, has sixteen (16) Fee Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in or temporary abandonment status. Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2 February 20, 2004 Clint Howell

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,

Dustin K. Doucet Petroleum Engineer

jc

cc:

John Baza

Well File

	Well Name	API	Lease Type	Years Inactive
1	Nordeen 80.6	43-037-30585	Fee	1 Year 5 months
2	Nordeen 80.7	43-037-30584	Fee	1 Year 5 months
3	J&L 3-X	43-037-31669	Fee	6 Years 5 Months
4	Goodridge 91-2	43-037-31605	Fee	7 Years 4 Months
5	Goodridge 91-12	43-037-31637	Fee	7 Years 5 Months
6	Goodridge 91-16	43-037-31634	Fee	7 Years 5 Months
7	Goodridge 1	43-037-31647	Fee	7 Years 6 Months
8	Goodridge 91-7	43-037-31613	Fee	7 Years 6 Months
9	Goodridge 81-3	43-037-30960	Fee	8 Years 3 Months
10	Goodridge 91-4	43-037-31614	Fee	8 Years 3 Months
11	J&L 3	43-037-31207	Fee	10 Years 7 Months
12	Crossing No 28	43-037-31445	Fee	10 Years 9 Months
13	Crossing No 212	43-037-31446	Fee	10 Years 9 Months
14	Goodridge 92-3	43-037-31652	Fee	10 Years 9 Months
15	Nordeen 3	43-037-30149	Fee	10 Years 9 Months
16	Nordeen 5	43-037-20722	Fee	10 Years 9 Months



Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON Division Director MICHAEL O. LEAVITT

OLENE S. WALKER Lieutenant Governor

February 20, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 4941

Clint Howell San Juan Minerals Exploration P.O. Box 310367 Mexican Hat, Utah 84531

Re: <u>Extended Shut-in and Temporary Abandoned Well Requirements for Fee</u> or State Leases.

Dear Mr. Howell:

San Juan Minerals Exploration, as of February 2004, has sixteen (16) Fee Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in or temporary abandonment status. Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).



Page 2 February 20, 2004 Clint Howell

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely

Dustin K. Doucet Petroleum Engineer

jc

cc: John Baza

Well File

	Well Name	API	Lease Type	Years Inactive
1	Nordeen 80.6	43-037-30585	Fee	1 Year 5 months
2	Nordeen 80.7	43-037-30584	Fee	1 Year 5 months
3	J&L 3-X	43-037-31669	Fee	6 Years 5 Months
4	Goodridge 91-2	43-037-31605	Fee	7 Years 4 Months
5	Goodridge 91-12	43-037-31637	Fee	7 Years 5 Months
6	Goodridge 91-16	43-037-31634	Fee	7 Years 5 Months
7	Goodridge 1	43-037-31647	Fee	7 Years 6 Months
8	Goodridge 91-7	43-037-31613	Fee	7 Years 6 Months
9	Goodridge 81-3	43-037-30960	Fee	8 Years 3 Months
10	Goodridge 91-4	43-037-31614	Fee	8 Years 3 Months
11	J&L 3	43-037-31207	Fee	10 Years 7 Months
12	Crossing No 28	43-037-31445	Fee	10 Years 9 Months
13	Crossing No 212	43-037-31446	Fee	10 Years 9 Months
14	Goodridge 92-3	43-037-31652	Fee	10 Years 9 Months
15	Nordeen 3	43-037-30149	Fee	10 Years 9 Months
16	Nordeen 5	43-037-20722	Fee	10 Years 9 Months



# SAN JUAN MINERALS EXPLORATION INC.

Hwy 163 / Riverview Dr. P.O. Box 310367 Mexican Hat, Utah 84531 Ph. 435-683-2263 Fax: 435-683-3398 E-mail: chlsj@yahoo.com

Dustin K Doucet
State of Utah
Division of Oil Gas and Mining
1594 West North Temple Suite 1210
P.O. Box 148801
Salt Lake City, UT. 84114-8801

2004-03-16

RECEIVED

MAR 1 9 2004

RE:

Letter, February 20, 2004

Extended Shut-in and Temporary Abandoned Wells.

43-037-30149

43-037-20722

DIV. OF OIL, GAS & MINING

Dear Mr. Doucet:

15 Nordeen 3

16 Nordeen 5

As per Our Discussion, Plan of action as follows,

Proposed Work to be Completed in 2004

Plan c	i action as lonows,	1100000	() 4111 10 = 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
¥1	Nordeen 80.6	43-037-30585	Workover-Reproduce	
2	Nordeen 80.7	43-037-30584	Workover-Reproduce	
3	J&L 3-X	43-037-31669	Plug & Abandon	
4	Goodridge 91-2	43-037-31605	Workover -Reproduce	Possibly plug & abandon
5	Goodridge 91-12	43-037-31637	Workover-Reproduce	Possibly plug & abandon
6	Goodridge 91-16	43-037=31634	Workover-Reproduce	Possibly plug & abandon
7	Goodridge 1	43-037-31647	Workover-Reproduce	Possibly plug & abandon
8	Goodridge 91-7	43-037-31613	Workover-Reproduce	Possibly plug & abandon
9	Goodridge 81-3	43-037-30960	Workover-Reproduce	Possibly plug & abandon
10	Goodridge 91-4	43-037-31614	Workover-Reproduce	Possibly plug & abandon
11	J&L3	43-037-31207	Plug & Abandon	
12	Crossing No 28	43-037-31445	Plug & Abandon	/ 3/
13	Crossing No 212	43-037-31446	Plug & Abandon Sincere	ly,
14	Goodridge 92-3	43-037-31652	Plug & Abandon	ful flath

Plug & Abandon

Plug & Abandon

Clint Howell

Manager

San Juan Minerals Exploration Inc.



A.

Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON Division Director MICHAEL O. LEAVITT Governor

OLENE S. WALKER Lieutenant Governor

March 19, 2004

CERTIFIED MAIL NO. 7002 0510 0003 8602 6440

Mr. Clint Howell
San Juan Minerals Exploration, Inc.
Hwy 163 / Riverview Drive
P.O. Box 310367
Mexican Hat, Utah 84531

Re: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases dated February 20, 2004.

Dear Mr. Howell,

The Division of Oil, Gas and Mining (DOGM) is in receipt of your letter dated March 16, 2004 in regards to the sixteen (16) shut-in wells operated by San Juan Minerals Exploration, Inc. (San Juan). DOGM accepts San Juan's plan of action to plug and abandon seven (7) of the wells and recomplete nine (9) of the wells during calendar year 2004. Based upon the plan of action and other information provided, DOGM approves the sixteen wells for extended shut-in until January 1, 2005. Please submit re-completion and plugging procedures with notice of intent sundries upon finalization.

For reference, Attachment A lists the wells subject to the request. If you have any questions or need additional assistance in regards to the above matters please contact me at (801) 538-5281.

Sincerely,

Dustin Doucet Petroleum Engineer



	Well Name	API	Lease Type	Years Inactive
1	Nordeen 80.6	43-037-30585	Fee	1 Year 5 months
2	Nordeen 80.7	43-037-30584	Fee	1 Year 5 months
3	J&L 3-X	43-037-31669	Fee	6 Years 5 Months
4	Goodridge 91-2	43-037-31605	Fee	7 Years 4 Months
5	Goodridge 91-12	43-037-31637	Fee	7 Years 5 Months
6	Goodridge 91-16	43-037-31634	Fee	7 Years 5 Months
7	Goodridge 1	43-037-31647	Fee	7 Years 6 Months
8	Goodridge 91-7	43-037-31613	Fee	7 Years 6 Months
9	Goodridge 81-3	43-037-30960	Fee	8 Years 3 Months
10	Goodridge 91-4	43-037-31614	Fee	8 Years 3 Months
11	J&L 3	43-037-31207	Fee	10 Years 7 Months
12	Crossing No 28	43-037-31445	Fee	10 Years 9 Months
13	Crossing No 212	43-037-31446	Fee	10 Years 9 Months
14	Goodridge 92-3	43-037-31652	Fee	10 Years 9 Months
15	Nordeen 3	43-037-30149	Fee	10 Years 9 Months
16	Nordeen 5	43-037-20722	Fee	10 Years 9 Months

### STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

(	5. LEASE DESIGNATION AND SERIAL NUMBER:		
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
		ent haltom-hole death, reenter plugged wells, or to	7. UNIT OF CA AGREEMENT NAME:
drill horizontal la	terais. Use APPLICATION FOR PERMIT TO DRILL IN	rm for such proposals.	8. WELL NAME and NUMBER:
OIL WELL	GAS WELL OTHER		see attached list
2. NAME OF OPERATOR: San Juan Minerals Explora	ation Inc. NO8/D		9. API NUMBER:
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
Hwy 163 P.O. Box 310367	Mexican Hat country Ut graduate	84531 (435) 683-2298	Mexican Hat
4. LOCATION OF WELL			COUNTY: San Juan
FOOTAGES AT SURFACE:			
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	☐ NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ OTHER: change of operator
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATIO	
	<u> </u>	and and details including dates denths vol	umes etc
	OMPLETED OPERATIONS. Clearly show all p		
San Juan Minerals Expl	loration Inc. is transferring operation	ion of its oil wells in San Juan ( 0267 Moviose Hat III, 84531	County at Mexican Hat,
(see attached List ) To: \	Wesgra Corporation P.O. Box 310 anded By Letter of credit #723	n	
Would like to make this cl	hange effective as of April 30 200	0. 96	
AAOOIO like to tueve mis o	mange oncours as s p es as		
Wesgra Corporation:	, President /	41060	
by: Clint Howell	A		
Went How	SOS		
Chan 1000	April /20/ 2006		
•	·		
		Descident	
NAME (PLEASE PRINT) Clint Hov	vell /	TITLE President	
H	Harell	PATE 4/20/2006	
SIGNATURE CONTRACTOR	young	DATE 4/20/2000	
(This space for State use only)	/		
			D. T. O. T.
APPROVE	ED <u>5/3/06</u>		RECEIVED
0			

(5/2000)

Carlene Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

APR 2 4 2006

DIV. OF OIL, GAS & MINING

well name	api	qtr_qtr	sec	twsp	rng	well	stat	l num
GEBAUER FEDERAL 2	4303730190	SENE	07		190E			UTU-7303
SUTHERLAND FEDERAL 97-4	4303731784	NESW	05		190E			UTU-7303D
NORDEEN 1	4303720721	NENW	05		190E		s	FEE
NORDEEN 5	4303720722	SWNW	05		190E		P	FEE
NORDEEN 3	4303730149	NENW	05		190E			FEE
WILM RNCH GDRDGE 12	4303730432	NWNW	08		190E			FEE
GOODRIDGE 74	4303730526	NWNW	08		190E		4	FEE
GOODRIDGE 75	4303730527	NWNW	08		190E			FEE
GOODRIDGE 80.2	4303730561	NWNW	08		190E	ow	P	FEE
GOODRIDGE 80.3	4303730562	NWNW	08		190E			FEE
GOODRIDGE 80.4	4303730563	NWNW	08		190E			FEE
GOODRIDGE 80.1	4303730570	NWNW	08	420S	190E	ow	S	FEE
NORDEEN 80.7	4303730584	SESW	05	420S	190E	ow	P	FEE
NORDEEN 80.6	4303730585	SESW	05	420S	190E	ow	s	FEE
GOODRIDGE 80.5	4303730680	NWNW	08	420S	190E	OW	P	FEE
NORDEEN 81-4	4303730957	swsw	05		190E		S	FEE
NORDEEN 81-5	4303730958	SWSW	05	420S	190E	OW	S	FEE
GOODRIDGE 81-3	4303730960	SENE	07	420S	190E	OW	S	FEE
J & L 3	4303731207	NWSW	06	420S	190E	OW	TA	FEE
NORDEEN 86-6	4303731254	SENW	05	420S	190E	OW	S	FEE
GOODRIDGE 91-2	4303731605	SENE	07	420S	190E	ow	S	FEE
GOODRIDGE 91-7	4303731613	SWNW	08	420S	190E	ow	S	FEE
GOODRIDGE 91-16	4303731634	NENE	07	420S	190E	ow	S	FEE
GOODRIDGE 91-12	4303731637	NENE	07	420S	190E	OW	S	FEE
GOODRIDGE 1	4303731647	SENE	07	420S	190E	OW	S	FEE
J&L 3-X	4303731669	NESW	06	420S	190E	OW	S	FEE
DICKENSON/HOWARD 1	4303731845	NWSW	05	420S	190E	OW	NEW	FEE
UTAH 1	4303730101	NWSW	07	420S	190E	OW	PA	FEE
NELWYN A NORDEEN 2	4303730104	SENW	05	420S	190E	OW	PA	FEE
NELWYN NORDEEN 3	4303730108	SENW	05	420S	190E	ow	PA	FEE
NORDEEN 1A	4303730128	NENW	06	420S	190E	OW	PA	FEE
NORDEEN 2-A	4303730161	NENW	06	420S	190E	OW	PA	FEE
NORDEEN 7	4303730194	NENW	05	420S	190E	OW	PA	FEE
NORDEEN 11	4303730480	SWSW	05		190E		PA	FEE
NORDEEN 80.13	4303730581	SESW	05		190E		PA	FEE
GOODRIDGE 81-1	4303730961	SWNW	08		190E		PA	FEE
GOODRIDGE 71	4303730968	NWNW	08	420S	190E	D	PA	FEE
NORDEEN 86-4	4303731253	SENW	05	420S	190E	D	PA	FEE
NORDEEN 86-8	4303731255	SWNE	05	420S	190E	OW	PA	FEE
NORDEEN 86-10	4303731256	SENW	05		190E		PA	FEE
CROSSING NO 2 8	4303731445	SWSE	07	420S	190E	OW	PA	FEE
CROSSING NO 2 12	4303731446	SWSE	07		190E		PA	FEE
GOODRIDGE 91-10	4303731609	NENE	07		190E		PA	FEE
GOODRIDGE 91-5	4303731611	SENE	07	420S	190E	D	PA	FEE
GOODRIDGE 91-4	4303731614	SENE	07		190E			FEE
GOODRIDGE 2	4303731640	NWNW	08	420S	190E	OW	PA	FEE
GOODRIDGE 92-3	4303731652	NWNE	07	420S	190E	OW	PA	FEE

### **OPERATOR CHANGE WORKSHEET**

ROUTING 1. DJJ

1. DJJ 2. CDW

Change of Operator (Well Sold)


Designation of Agent/Operator

### **X** Operator Name Change

Merger

The operator of the well(s) listed bel	low has changed	, ettecti	ve:		4/3	30/2006		
FROM: (Old Operator):				<b>TO:</b> ( New O <sub>1</sub>	perator):			
N0810-San Juan Minerals Exploration Inc.				N1060-Wesgra	•			
Hwy 163 PO Box 310367				PO Bo	x 310367			
Mexican Hat, UT 84531 Phone: 1-(435) 683-2298			Mexica	an Hat, UT 84	531			
				Phone: 1-(435)	683-2298			
	CA No.			Unit:				
WELL(S)								
NAME	SEC	TWN	RNG	API NO	I -	LEASE	WELL	WELL
			<u> </u>		NO	TYPE	TYPE	STATUS
DICKENSON/HOWARD 1	05	420S		4303731845	ļ	Fee	OW	NEW
&L 3-X	06	420S		4303731669	11504		ow	S
GOODRIDGE 91-2	07	420S		4303731605	11206		OW	S
GOODRIDGE 91-16	07	420S		4303731634	11206		OW	S
GOODRIDGE 91-12	07	420S		4303731637	11206		OW	S
GOODRIDGE 1	07	420S		4303731647	11206		OW	S
GOODRIDGE 91-7	08	420S	190E	4303731613	11206	Fee	OW	S
			l					
			<del>                                     </del>					
		<u> </u>	+	<del></del>		<u> </u>		
		<del> </del>	┼					
			<del> </del>				<del></del>	<del></del>
		ļ			<u> </u>			
			<u> </u>					
			ļ				<del> </del>	<del>  .                                     </del>
		ļ						
		<u> </u>						<u> </u>
OPERATOR CHANGES DOCUM  Enter date after each listed item is comple  1. (R649-8-10) Sundry or legal documenta  2. (R649-8-10) Sundry or legal documenta	ted tion was receive	d from			r on:	4/24/200		
2. (1047-0-10) buildly of legal documenta	non was receive	G HOIII		operator on:				
3. The new company was checked on the I	enartment of 4	Comme	rce. Div	vision of Corpo	rations Data	base on:		4/26/20
		- GIIIII		Business Num		670418-01	42	
4. Is the new operator registered in the Star				- Dusiness mulli	001.			
5. If <b>NO</b> , the operator was contacted conta	cted on:							
(D(40.0.2)W	h			requested 4/2	6			
EA THEATH I TIME OUT A MANAGEMENT HER BOOK	neen received o	п:		requested 4/2	U			
6a. (R649-9-2)Waste Management Plan has been received on:					— <i></i>			
6b. Inspections of LA PA state/fee well site:				moving PA fe	ee wells to ne	w company	y	

7. <b>Federal and Indian Lease Wells:</b> The BLM and or the BLA or operator change for all wells listed on Federal or Indian leases on:	not yet	ne merger, name cnange,	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for w	rells listed on:	n/a	
<ol> <li>Federal and Indian Communization Agreements ("Ca The BLM or BIA has approved the operator for all wells listed with</li> </ol>	nin a CA on:	n/a	
10. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water dispose	n has approved UIC sal well(s) listed on	Form 5, Transfer of Authority to Ing	ject,
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	5/3/2006	-	
2. Changes have been entered on the Monthly Operator Change Spre	ad Sheet on:	5/3/2006	
3. Bond information entered in RBDMS on:	5/3/2006	-	
4. Fee/State wells attached to bond in RBDMS on:	5/3/2006	-	
5. Injection Projects to new operator in RBDMS on:	n/a	-	
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		merger	
FEDERAL WELL(S) BOND VERIFICATION:  1. Federal well(s) covered by Bond Number:		_	
INDIAN WELL(S) BOND VERIFICATION:			
1. Indian well(s) covered by Bond Number:	n/a	-	
FEE & STATE WELL(S) BOND VERIFICATION:  1. (R649-3-1) The NEW operator of any fee well(s) listed covered by E	Bond Number	007230	
2. The <b>FORMER</b> operator has requested a release of liability from their The Division sent response by letter on:	bond on: moving PA fe	4/24/2006_ e wells to new company	
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contact of their responsibility to notify all interest owners of this change on:	oted and informed b	y a letter from the Division	
COMMENTS:			



# State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

September 29, 2008

CERTIFIED MAIL NO.: 7004 2510 0004 1824 6398

Mr. Clint Howell Wesgra Corporation P.O. Box 310367 Mexican Hat, UT 84531 43 037 316/3 Goodridge 91-7 428 19E 8

Re:

Second Notice of Extended Shut-in and Temporarily Abandoned Requirements for Wells

on Fee or State Leases

Dear Mr. Howell:

Wesgra Corporation ("Wesgra") has sixteen (16) Fee Lease Wells (see attachment A) that are currently in non-compliance for extended shut-in and temporary abandonment (SI/TA) status. Wells SI/TA beyond twelve (12) consecutive months require the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining ("Division") approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

This is a second notice of non-compliance for wells 1 through 12 listed on Attachment A. For wells 1 through 10, the Division notified you (under operator name San Juan Minerals) on several occasions by certified mail about these wells non-compliance issues. Plans to PA or recomplete these wells were submitted, but no action has been taken to date. For wells 11 and 12, Wesgra was notified through certified mail dated April 16, 2004, and again in a response dated July 21, 2004. In the response, it was understood that Wesgra planned to workover these wells. The Division feels that sufficient time has passed to perform necessary work to put these in to production or to PA. Please submit your plans to produce or plug these wells. If this is not addressed within 30 days, a Notice of Violation will be issued for these wells. A similar response is required for the other four wells listed on Attachment A.



Page 2 September 29, 2008 Mr. Howell

For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3)

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions will be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

\$incerely,

Dustin K. Doucet

Petroleum Engineer

JP/js Enclosure

cc: Compliance File Well File

# Attachment A

	Well Name	API	Lease Type	Years Inactive
1	NORDEEN 5	43-037-20722	FEE	2 Years 8 Months
2	NORDEEN 3	43-037-30149	FEE	2 Years 8 Months
3	GOODRIDGE 81-3	43-037-30960	FEE	12 Years
4	J & L 3	43-037-31207	FEE	21 Years 6 Months
5	GOODRIDGE 91-2	43-037-31605	FEE	12 Years
6	GOODRIDGE 91-7	43-037-31613	FEE	12 Years
7	GOODRIDGE 91-16	43-037-31634	FEE	12 Years
8	GOODRIDGE 91-12	43-037-31637	FEE	12 Years
9	GOODRIDGE 1	43-037-31647	FEE	12 Years
10	J & L 3-X	43-037-31669	FEE	21 Years 6 Months
11	WESGRA 8-2	43-037-30529	FEE	12 Years
12	WESGRA 8-1	43-037-31451	FEE	12 Years
13	SAN JUAN FED 3	43-037-30420	FEE	2 Years 2 Months
14	SAN JUAN TRACT 4-2X	43-037-30733	FEE	1 Year 10 Months
15	NORDEEN 81-5	43-037-30958	FEE	4 Years 5 Months
16	NORDEEN 86-6	43-037-31254	FEE	2 Years 1 Month

STATE OF UTAH MENT OF NATURAL RESOURCE

FC	R	м	Q
$r \cup$		71	3

	DEPARTMENT OF NATURAL RESOUR		THE STATE OF THE S
C	DIVISION OF OIL, GAS AND MIN	VING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Do not use this form for proposals to drill he	ew wells, significantly deepen existing wells bolow curre spale. Use APPLICATION FOR PERMIT TO DRILL for	ent bottom-hole depth, peenter plugged welle, or to	/ UNIT OF CA AGREEMENT NAME.
1 TYPE OF WELL OIL WELL		illi kir suzn proposeis,	8 WELL NAME and NUMBER.
	AT CN2 AFTE TO OTHER		Goodridge 91 - 7
2 NAME OF OPERATOR San Juan Minerals / Wesgi	ra corporation		43037316美门3
3 ADDRESS OF OPERATOR. P.O. Box 310367	Mexican Hall on Ut In the	84531 (435) 683-2263	10. FIELD AND POOL OR WILDCAT Mexican Hat
4 LOCATION OF WELL			Con luce
FOOTAGES AT SURFACE 2039' F	<sup>1</sup> NL 161' FWL		COUNTY San Juan
QTRATE, SECTION, TOWNSHIP, RANG	GE, MERIDIAN. SWNW 8 42S 1	9E S	STATE: UTAH
11 CHECK APPR	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION  SIDE I RACK TO REPAIR WELL
(Submit in Duplicate)  Approximate date work will start.	ALTER CASING  CASING REPAIR		TEMPORARILY ABANDON
11/15/2008	CHANGE TO PREVIOUS PLANS	OPERAION CHANGE	TUBING REPAIR
17/10/2000	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion	CHANGE WELL STATUS	FRODUCTION (START/RESUME)	WATER SHUT OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER
	CONVERT WELL TYPE	RECOMPLETE - DIFFFRENT FORMATIO	
	OMPLETED OPERATIONS. Clearly show all p	eninem delaii≈ #icluding dates, depins, voil	imes, etc.
Propose to fill from TD to s	surface with cement slurry		
•			
			COPY SENT TO OPERATOR
			Date: 11.25.2008
			•
			Initials: <u>165</u>
Climb 1.1-	oll	Managar	
NAME (PLEASE PRINT) Clint Howe	1 1/ - 2//	TITLE Manager	
SIGNATUR	Haulf	DATE 10/27/2008	
(This space for State use only)			
	VED BY THE STATE	readir Jacobs	
APPRO	TAH DIVISION OF		
OF U	GAS. ANY		RECEIVED
and the second s	111908 A (See insti	nuctions on Reverse Side)	NOV 0 4 2008
DATE	STAIN	culo 7 -	
BY: 1	+ Burt Kettle @ 435-8	20.000 C	DIV. OF OIL, GAS & MINING
# Covered	+ But Kettle @ 435-85 + to Ommerciny wo	, · ·	
7			

**API Well No:** 43-037-31613-00-00

Permit No:

Well Name/No: GOODRIDGE 91-7

**Company Name:** WESGRA CORPORATION **Location:** Sec: 8 T: 42S R: 19E Spot: SWNW

Coordinates: X: 601801 Y: 4112118 Field Name: MEXICAN HAT County Name: SAN JUAN

String Info	ormation				~ . FJ
String	Bottom (ft sub)	Diameter (inches)	Weight (lb/ft)	Length (ft)	(apactice
HOL1	400	7.875			
SURF	300	5.5	14		7.299
78"	(50)	· · · · · · · · · · · · · · · · · · ·			2.4436

**Cement Information** 

String	BOC (ft sub)	TOC (ft sub)	Class	Sacks
SURF	300	0	UK	50

**Perforation Information** 

D(ugtt 1 OH 100' (L15) (24434) = 365x 5½" 300'/(115) (7.299) = 365x 725x total regol

Surface: 5.5 in. @ 300 ft.

Formation Information
Formation Depth
GDRSD 350

Hole: 7.875 in. @ 400 ft.

TD:

400 **TVD**:

PBTD:



## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA Division Director

GARY R. HERBERT Lieutenant Governor

March 3, 2009

CERTIFIED MAIL NO.: 7004 1160 0003 0190 2549

Mr. Clint Howell Wesgra Corporation P.O. Box 310367 Mexican Hat, UT 84531 43 037 31613 Goodridge 91-7 425 19E 8

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Howell:

As of January 2009, Wesgra Corporation (Wesgra) has ten (10) Fee Lease Wells (see attachment A) that have recently been added as being in non-compliance with the requirements for extended shut-in or temporarily abandoned (SI/TA) status.

The Utah Division of Oil, Gas & Mining (Division) also wishes to remind Wesgra of the other outstanding wells that are past due in their non-compliance issues and PA proposals as previously addressed in numerous communications with Wesgra. Most recently a letter sent via certified mail September 29, 2008. Please respond to this matter within 30 days or a Notice of Violation may be issued on these wells (attachment A).

Wells SI/TA beyond twelve (12) consecutive months requires filing a Sundry Notice (R649-3-36-1). Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (649-3-36-1.3.3). For extended SI/TA consideration the operator shall provide the Division with the following:

- 1. Reasons for SI/TA of the well (R649-3-36-1.1).
- 2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
- 3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Please note that the Divisions preferred method for showing well integrity is by MIT

Page 2 Wesgra Corporation March 3, 2009

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).

- 1. Wellbore diagram, and
- 2. Copy of recent casing pressure test, and
- 3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
- 4. Fluid level in the wellbore, and
- 5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely

Dustin K. Doucet Petroleum Engineer

DKD/JP/js Enclosure

cc: Compliance File Well File

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

# ATTACHMENT A

Well Name	API	Lease Type	Years Inactive		
	FIRST NOTICE				
1 SAN JUAN FED 8	43-037-30528	FEE	1 year		
2 GOODRIDGE 80.1	43-037-30570	FEE	1 year 1 month		
3 SAN JAUN FED 10	43-037-30836	FEE	1 year		
4 SAN JUAN FED 11	43-037-30837	FEE	1 year		
5 GOODRIDGE ESTATE 21	43-037-31344	FEE	1 year		
6 GOODRIDGE ESTATE 22-A	43-037-31352	FEE	1 year		
7 GOODRIDGE ESTATE 24	43-037-31354	FEE	1 year		
8 GOODRIDGE TRUST 21B	43-037-31703	FEE	1 year_		
9 GOODRIDGE TRUST 24A	43-037-31713	FEE	1 year_		
10 GOODRIDGE TRUST 96-1	43-037-31782	FEE	1 year		
PENDING	NOTICE OF VIO	LATION			
WESGRA 8-1	43-037-31451	FEE	12 years 5 months		
WESGRA 8-2	43-037-30529	FEE	12 years 4 months		
GOODRIDGE 91-2	43-037-31605	FEE	12 years 5 months		
GOODRIDGE 91-12	43-037-31637	FEE	12 years 5 months		
GOODRIDGE 1	43-037-31647	FEE	12 years 5 months		
GOODRIDGE 91-7	43-037-31613	FEE	12 years 5 months		
J&L 3-X	43-037-31669	FEE	20 years 11 months		
GOODRIDGE 81-3	43-037-30960	FEE	11 years 5 months		
J&L 3	43-037-31207	FEE	21 years 11 months		
NORDEEN 5	43-037-20722	FEE	3 years 1 month		
NORDEEN 3	43-037-30149	FEE	3 years 1 month		
SECOND NOTICE					
NORDEEN 81-5	43-037-30958	FEE	4 years 10 months		
SAN JUAN FED 3	43-037-30420	FEE	2 years 7 months		
SAN JUAN TRACT 4-2X	43-037-30733	FEE	2 years 3 months		
NORDEEN 86-6	43-037-31254	FEE	2 years 6 months		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	FORM 9					
DIVISION OF OIL, GAS AND MINING	5 LEASE DESIGNATION AND SERIAL NUMBER FEE					
SUNDRY NOTICES AND REPORTS ON WELLS	FINDIAN, ALLOTTEE OR TRIBE NAME					
Do not use this ferm for proposals to drill now wells, manificantly deepen solding wells below current bottom-hole depth, resinter plugged wells, or to drill horizontal isserts;. Use APPLICATION FOR PERMIT TO DRILL form for such proposals	7 UNIT OF CA AGREEMENT NAME					
1. TYPE OF WELL OIL WELL GAS WELL OTHER	Goodridge - 91- 7					
2. NAME OF OPERATOR San Juan Miunerals / Wesgra Corporation	• API NUMBER, 4303731613					
3. ADDRESS OF OPERATOR P.O. Box 310367 Mexican Hat STATE UT 210 84531 PHONE NUMBER: (435) 683-2263	10 FIELD AND POOL, OR WILDCAT Mexican Hat					
4. LOCATION OF WELL FOOTAGES AT SURFACE 2039 FNL 161 FWL GTRIGTR, SECTION, TOWNSHIP, MANGE, MERICIAN SWINW 815 425 19E S	COUNTY San Juan					
	UTAH					
11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION						
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION					
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
Appreximate date work will start CASING REPAIR REW CONSTRUCTION	TEMPORARILY ABANDON					
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR					
CHANGE TUBING PLUG AND AMANDON	VENT OR FLARE					
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL					
CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF					
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER					
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION						
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS Clearly show all perturent details including dates, depths, volume	⇒, elc					
Had sent in Sundry Notice to Plug an Abandon.						
I have cleaned out this well and am producing a little oil from it again	I have cleaned out this well and am producing a little oil from it again					
would like to keep it open & produce it for the time being						

Thank You: Clint Howell

NAME (PLEASE PRINT) Clint Howell	TITLE	Manager
SIGNATURE TO LINE HOWELF	DATE	5/26/2009

(This space for State use only)

(5/2000)

(See Instructions on Reverse Side)

RECEIVED

MAY 27 2009